(TAMAM)

TAMATE PRATEIN AND THE PROPERTY OF COVERNMENT OF Tamilinada)

No.31, Kamarajar Salai, P.B. No.2061, Chepault, Chemai 600 005.

E-Wail: temin@tamingranites.com // Website: www.tamingranites.com Rc.No.12059/ML3/2015 PUBLIC NOTICE

M/s. Tamil Nadu Minerals Limited, Chennai has been accorded Environmental Clearance for following Mining Projects by State Level Environmental Impact Assessment Authority (SEIAA),

SING	- Name of the Valle	Ref. No.hi which Environmen			
iñ	L. Hums and Unstrict	SENo.	Littont	Nature of the Winerals	Clearance accorded by
	Sevathur & Elavampatti Village, Thuppathur faluk, Vellore District	120,126,127, 131,132,133, 134,135,137, 136,139,140, 142,166 % 435,436,437	23.71.0	Vermiculite	SEIAA, Tamil Madu <sup>2</sup> SEIAA-TN/E.No.3893/1(a)/ EC.No.3204/2016 dafed: 11.07.2016
2	Mudhaliyarkuppam Village, Cheyyur Taluk, Kancheepuram Dist.	295/1,5, . 319/1,5	4.63.0	Silica Sand	SEIAA-TN/F.No.3895/1(a)/ EC.No.3285/2015
3	Yellikkaradu Bit-I Village, Mettur Taluk, Salem District	Reserve Forest	5.62.0	Ellack Granto	dated: 11.07.2016 SEIAA-TN/F.No.4394/1(a)/ EC.No.3289/2015
1	Kaveripuram Village, Moftur Taluk, Salem District	133 (Part)	31,35.0	Ulack Granto	dated: 11.07.2016 SEI/AA-TN/F.No.985/1(a)/ EC.No.3215/2013 dated: 11.07.2016

The copy of Environmental Clearance can be seen in the website of Tamil Natiu Pollution Control Board (http://www.tnpcb.gov.in) as woll as in the website of the State Level Environmental Impact Assessment Authority (SEIAA) i.e. (http://www.seiaa.in.gov.in) and also in the website

of TAMIN i.e. (http://www.tamingranifes.com) DIERAMO/DISPLAY/2016

MANAGING DIRECTOR

file mo. 12059/mc3/2015 dr: 19. x. 2016.

It is andomisted for kind information.

Dyin (mi) | 4 5 (F) | 67 / 67 /

MIMIAT

ராகையைநிர் பரிகை கிருகிரியது

(சும்முகாடு அரசு நிறுவனம்) என்.31. சுரமாஜ் சாலை, செர்பாக்கம், சென்னவு-600005 தெர.பே.:044—28410382 / 26511972, நெளி: 91—44—26524960

Sweinigside were taningrentles com Designation (designation) PHOL: 19.07.2016 தமிழ்நாடு கனிம் நிறுவைம், செள்ளை அவர்களால் துவங்க உத்தேசிக்கப்பட்டுள்ள கீழ்க்கண்ட கிராணை கரங்க திட்டத்திற்கு மத்திய கற்றம் சூழல் மற்றும் வைத்துறை அமைச்சகம் (SEEVA), தமிழ்நாடு கற்றும் சூழல் அமைதி வழங்கியுள்ளது. acida nia sera armiri colode no a

	1.1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	(SI=(AA), Chinibility chining Cathern College (SI)			கக்பத ம்றுது ப்றுற்க மித்த்வ வருடி ம்றித்தயாககை ()பிய்த்த
調	கிராகம், கட்டம், மற்றும் மாவட்டத்தின் பெயர்	्राधिकानुक विकासक	(சுன்முகிடரில்) டமுப்பளவு	कालकराइस्वा कालकराइस्वा कालकराइस्वा	लांगांगांग कार्येष्ट खण्णा मांगांगांग एमस्य
1	செவாத்தார் ஃ எஸ்வாம்பட்டி கிராமம், திருட்டஞ்தார் தாலுகர், கேஷ்ரர் மாவட்டம்	420,426,427, 431,432,433, 434,435,437, 438,439,440, 442,468 % 435,436,437	23.71.0	வெய்பி மூலைட்	SEIAA-TM/F.No.3893/1(a)/ EC.No.3204/2015 dated: 11.07.2016
2	முதலியாகுப்பம் கிராமம், செரியூர் தாலுகா, காஞ்சிபும்	296/1,5, 319/1,5	4.63.0	กองใช้อโห้ บ้องขกอดา	SEIAA-TN/F.No.3895/1(a)/ EC.No.3285/2015 dated: 11.07.2016
3	எலிகரடு பகுதி 1 மேட்டுர் தாலுகா	տուն իք	5.62.0	राजाम्म । राजवा	SEIAA-TN/F,No.4394/1(a)/ EC,No.3283/2016 dated: 11.07;2016
1	கேலம் மாட்டம் காகேளிடமும் கிராமம், மேட்டுர் தாலுகா கேலம் மாவட்டம்	1:33 (പരുട്ടി)	31,35,0	region()	SEIAA-TN/F.No.985/1(a)/ -EC.No.3215/2013 -dated: 11.07.2016

សម្បើប្រែមេ(j) - លោយមេ (j)ប្រការ(j) வாரியத்தின் (http://www.tnpcb.gov.in), மத்திய சுற்றுச் சூற்ற மற்றும் வளத்துறை அமைச்சுத்தின் (MoEF) macono இணையதளம் (http://envlor.nic.in) மற்றும் தமிற்நாடு களிம் நிறுவனத்தின் இணையகுளம் (http://www.tauningranites.com) ஆகியவற்றில் காண்மைம். ரு சிருக்காளில் மூர்க்கள்கள்

செ.ய.தொ.இ/740/வரைகளை/2019

fil no. 12059/1013/2005 dr: 19.7.2016

Sir.

It is submitted for Gind information.



# Dr. S. KALYANASUNDARAM ,I.F.S.(Retd.) CHAIRMAN

# STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY — TAMIL NADU

coll to

3rd Floor, Panagal Maaligai,No.1 Jeenis Road, Saidapet,Chennai-15. Phone No.044-24359974 Fax No. 044-24359975

# **ENVIRONMENTAL CLEARANCE**

Lr. No.SEIAA-TN/F.No.3893/1(a)/EC.No.3284/2015 dated:11.07.2016

To M/s. Tamil Nadu Minerals Limited No 31, Kamarajar Salai, TWAD House, Chepauk Chennai - 600 005

Sir,

Sub: SEIAA-TN – Proposed Vermiculite Deposit quarry at S.F.No 120, 126, 127, 131, 132, 133,

134, 135, 137, 138, 139, 140, 142, 168 & 435, 436, 437, Sevathur & Elavampatti Village, Tiruppathur Taluk, Vellore District by Tamil Nadu Minerals Limited- Environmental

Clearance - Reg.

Ref:

1. Your Application for Environmental Clearance dt: 08.09.2015

2. Minutes of the 68 SEAC held on 26.10.2015, 27.10.2015 & 28.10.2015

3. Minutes of the SEIAA meeting held on 11.07.2016

#### Details of Minor Mineral Activity:-

This has reference to your application first cited. The proposal is for obtaining environmental clearance for mining/quarrying of minor minerals based on the particulars furnished in your application as shown below:

1	Name of Project Proponent and address	M/s. Tamil Nadu Minerals Limited No 31, Kamarajar Salai, TWAD House, Chepauk Chennai - 600 005			
2	Location of the Proposed Activity				
	Survey Number	120, 126, 127, 131, 132, 133, 134, 135, 137 138, 139, 140, 142, 168 & 435, 436, 437			
	Latitude and Longitude	12°25'14.75"N 78°31'38.85"E			
	Village	Sevathur & Elavampatti			
	Taluk	Tiruppathur			



	District	Vellore		
3	Proposed Activity			
	i. Minor mineral-	Vermiculite		
	ii. Mining Lease Area	23.71.0 Ha		
	iii. Approved quantity	3132 Tonnes of Vermiculite per annum		
	iv. Depth of Mining	7.5 m		
	v. Type of mining	Opencast Manual Method		
	vi. Category(B1/B2)	B2		
	vii. Precise Area Communication	G.O.(3D). No.75, Industries (MMA.1) Department dated 14.07.2004		
	viii. Mining plan approval	Deputy Controller of Mines Lr.No.TN/VLR/MS-1152.MDS dated 09.02.2015		
	ix. Mining lease period	20 Years		
4	Whether Project area attracts any General conditions specified in the EIA notification, 2006 as amended:-	Not attracted. Affidavit furnished		
5	Man Power requirement per day:	35 Employees		
6	Utilities			
	i. Source of Water :	Mines water reservoir/ Ground water		
	ii. Quantity of Water Requirement in KLD:			
	<ul><li>a. Domestic</li><li>b. Industrial</li><li>c. Green Belt &amp; Dust Suppression</li></ul>	1.4 KLD 0.9 KLD		
	iii. Power Requirement: a. Domestic Purpose b. Industrial Purpose	TNEB		
7	i. Project Cost ii. EMP Cost	Rs. 100 Lakhs Rs. 4.20 Lakhs		
8	Public Consultation:-	Not required as per O.M. dated 24.12.201 of MoEF, Gol.		
9	Date of Appraisal by SEAC:- Agenda No:	26.10.2015, 27.10.2015 & 28.10.2015 68-20		
10	Date of Review/Discussion by SEIAA and the Remarks The proposal was placed before the SEIAA in its Authority after careful consideration, decided to gra Mining of Vermiculite subject to terms and continuous and continuous and continuous areas.	orks:- 5 179th Meeting held on 11.07.2016 and the ant environmental clearance to the said project conditions stipulated under the provisions		
11				



# Conditions to be Complied before/during commencing operations:-

- 1. The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing the public that
  - The project has been accorded Environmental Clearance.
  - ii. Copies of clearance letters are available with the Tamil Nadu Pollution Control Board.
  - iii. Environmental Clearance may also be seen on the website of the SEIAA.
  - iv. The advertisement should be made within 7 days from the date of receipt of the clearance letter and a copy of the same shall be forwarded to the SEIAA.
- 2. The applicant has to obtain land use classification as industrial use before issue/renewal of mining lease.
- 3. NOC from the Standing committee of the NBWL shall be obtained, if protected areas are located within 10 Km from the proposed project site.
- The project proponent shall comply the conditions laid down in the Section V, Rule 36 of Tamil Nadu Minor Minerals Concession Rules 1959.
- 5. A copy of the Environment Clearance letter shall be sent by the proponent to the concerned Panchayat, Town Panchayat / Panchayat union/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the proponent and also kept at the site, for the general public to see.
- 6. The proponent shall ensure that First Aid Box is available at site.
- 7. The excavation activity shall not alter the natural drainage pattern of the area.
- 8. The excavated pit shall be restored by the project proponent for useful purposes.
- 9. The proponent shall quarry and remove only in the permitted and approved areas.
- 10. The proponent shall do the quarrying manually.
- 11. It shall be ensured that the quarrying operation shall be carried out between 7AM and 5 PM.
- 12. The proponent shall take necessary measures to ensure that there shall not be any adverse impacts due to quarrying operation on the nearby human habitations, by way of pollution to the environment.
- 13. A minimum distance of 15 mts from any civil structure shall be kept from the periphery of any excavation area.
- 14. Depth of quarrying shall be 2m above the ground water table /approved depth of mining whichever is lesser to be considered as a safe guard against Environmental Contamination and over exploitation of resources.



- 15. The mined out pits should be backfilled wherever warranted and area should be suitably landscaped to prevent environmental degradation. The mine closure plan as furnished in the proposal shall be strictly followed with back filling and tree plantation.
- 16. No drilling and blasting operation shall be carried out under any circumstances.
- 17. Free silica test should be conducted and reported
- 18. Air Sampling at intersection point should be conducted and reported
- 19. Bunds to be provided at the boundary of the project site.
- 20. Ground water quality monitoring should be conducted once in 3 Months
- 21. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
- 22. Rainwater shall be pumped out Via Settling Tank only
- 23. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area
- 24. Atleast 10 neem trees should be planted around the boundary of the quarry site.
- 25. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
- 26. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
- 27. The Project Proponent shall ensure a minimum of 2.5% of the annual turn over will be utilized for the CSR Activity
- 28. The Project Proponent shall provide solar lighting system to the nearby villages
- 29. The Project Proponent shall comply the mining and other relevant rules and regulations where ever applicable.
- 30. As per MoEF&CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarrying operation, if the project site is located within 10KM from National Park and Sanctuaries.
- 31. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Regional Office of the Ministry of Environment and Forests, Chennai.
- 32. It shall be ensured that the total extent of Mining area including existing, abandoned and proposed shall not exceed 25 Ha within 500 meter radius from the boundary of this quarry within the mining lease period of this application. If the area exceeds, the applicant has to obtain fresh Environmental Clearance submitting EIA Study Report under Category "B1".
- 33. It shall be ensured that there is no habitation is located within 500 meter radius from the periphery of the quarry site.
- 34. Whenever/wherever, "Savudu" /" Red Earth" /"Brick Earth" are removed from tanks, the project proponents should see that the free flow of water from and into the tanks are ensured through maintenance of inlet and outlet channels. Removal Earth should be in smooth, sloppy way towards deeper portion of the tank.
- 35. The Assistant/Deputy Director of Geology & Mining shall ensure that the total extent of mining area within 500m radius of this quarry not exceeds 25ha before execution of the quarry lease proceedings.



#### **General Conditions:**

- EC is given only on the factual records, documents and the commitment furnished in non judicial stamp paper by the proponent.
- The Proponent shall obtain the Consent for Establishment from the TNPC Board before commencing the activity.
- 3. No change in mining technology and scope of working should be made without prior approval of the SEIAA, Tamil Nadu.
- 4. No change in the calendar plan including excavation, quantum of mineral (minor mineral) should be made.
- 5. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 6. Effective safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to excavation of earth.
- 7. A berm shall be left from the boundary of adjoining field having a width equal to atleast half the depth of proposed excavation.
- 8. Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.
- 9. Vehicular emissions shall be kept under control and be regularly monitored. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
- 10. Access and haul roads to the quarrying area should be restored in a mutually agreeable manner where these are considered unnecessary after extraction has been completed.
- 11. All Personnel shall be provided with protective respiratory devices including safety shoes, Masks, gloves etc. Supervisory people should be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 12. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.
- 13. Workers/labourers shall be provided with facilities for drinking water and sanitation facility for Female and Male separately.
- 14. The project proponent shall ensure that child labour is not employed in the project as per the sworn affidavit furnished.
- 15. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment and Forests and its Regional Office located at Chennai.
- 16. Land use classification as per DTCP/Agriculture shall meet the requirement of mining/industrial use.



17. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.

18. This Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance

 The SEIAA, Tamil Nadu may alter/modify the above conditions or stipulate any further conditions in the interest of environment protection.

20. The SEIAA, Tamil Nadu may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the project proponent has deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the environmental clearance.

21. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

- 22. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments, draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957, National Commission for protection of Child Right Rules, 2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law relating to the subject matter.
- 23. The Environmental Clearance shall not be used as a document to obtain any other clearance unless it is specifically prescribed by the issuing authority.
- 24. Any other conditions stipulated by other Statutory/Government authorities shall be complied.
- 25. Any appeal against this environmental clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Lalyanda CHAIRMAN SEIAA-TN

## Copy to:

13

- 1. The Secretary, Ministry of Mines, Government of India, ShastriBhawan, New Delhi.
- 2. The Principal Secretary, Environment and Forests Department, Government of Tamil Nadu, Tamil Nadu.
- 3. The Additional Chief Secretary, Industries Department, Government of Tamil Nadu, Tamil Nadu.
- 4. The Additional Principal Chief Conservator of Forests, Regional Office (SZ), 34, HEPC Building, 1<sup>st</sup> & 2<sup>nd</sup> Floor, Cathedral Garden Road, Nungambakkam, Chennai 34.
- 5. The Chairman, Central Pollution Control Board, PariveshBhawan, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
- 6. The Chairman, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-32
- 7. The District Collector, Vellore District
- 8. The Commissioner of Geology and Mines, Guindy, Chennai-32
- 9. El Division, Ministry of Environment & Forests, ParyavaranBhawan, New Delhi.

10.Spare.



# Dr. S. KALYANASUNDARAM ,LF.S. (Retd.) CHAIRMAN

# STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – TAMIL NADU

3rd Floor, Panagal Maaligai,No.1 Jeenis Road, Saidapet,Chennai-15. Phone No.044-24359974

Fax No. 044-24359975

# **ENVIRONMENTAL CLEARANCE**

Lr. No.SEIAA-TN/F.No.3895/1(a)/EC.No.3285/2015 dated:11.07.2016/

To M/s. Tamil Nadu Minerals Limited No 31, Kamarajar Salai, TWAD House, Chepauk Chennai - 600 005

Sir,

Sub: SEIAA-TN - Proposed Silica Sand Deposit quarry at S.F.No 295/1, 5, 319/1, 5,

Mudhaliyakuppam Village, Cheyyur Taluk, Kancheepuram District by Tamil Nadu

Minerals Limited- Environmental Clearance – Reg.

Ref: 1. Your Application for Environmental Clearance dt: 08.09.2015

2. Minutes of the 69 SEAC held on 13.11.2015

3. Minutes of the SEIAA meeting held on 11.07.2016

## Details of Minor Mineral Activity:-

This has reference to your application first cited. The proposal is for obtaining environmental clearance for mining/quarrying of minor minerals based on the particulars furnished in your application as shown below:

1	Name of Project Proponent and address	M/s. Tamil Nadu Minerals Limited No 31, Kamarajar Salai, TWAD House, Chepauk Chennai - 600 005			
2	Location of the Proposed Activity				
	Survey Number	295/1, 5, 319/1, 5			
	Latitude and Longitude	12°19'28.44"N 80°01'18.46"E			
	Village	Mudhaliyakuppam			
	Taluk	Cheyyur			
	District	Kancheepuram			



1

3	Proposed Activity	1			
	i. Minor mineral	Silica Sand			
	ii. Mining Lease Area	4.63.0 Ha			
	iii. Approved quantity	1356 tonnes per annum of Silica sand			
	iv. Depth of Mining	4 m			
	v. Type of mining	Opencast Manual Method			
	vi. Category(B1/B2)	B2			
	vii. Precise Area Communication	G.O. Ms.No. 206, Industries (MMA1) Department dated 05.09.1995			
4億億。	viii. Mining plan approval	Regional Controller of Mines TN/KPM/MP/S.SAND/1893.MDS dated 09.10.2013			
a likely out at	ix. Mining lease period	20 Years			
4	Whether Project area attracts any General conditions specified in the EIA notification, 2006 as amended:-	Not attracted. Affidavit furnished			
5	Man Power requirement per day:	25 Employees			
6	Utilities				
	i. Source of Water :	Mines water reservoir/Ground water			
	ii. Quantity of Water Requirement in KLD:				
	a. Domestic	1.4 KLD			
	b. Industrial	] }			
	c. Green Belt & Dust Suppression	∫ 0.9 KLD			
	iii. Power Requirement:  a. Domestic Purpose  b. Industrial Purpose	TNEB			
7	Cost				
	i. Project Cost	Rs. 100 Lakhs			
	ii. EMP Cost	Rs. 4.20 Lakhs			
8	Public Consultation:-	Not required as per O.M. dated 24.12.2013 of MoEF, Gol.			
9	Date of Appraisal by SEAC:- Agenda No:	13.11.2015 69-11			
10	Date of Review/Discussion by SEIAA and the Remarks:-  The proposal was placed before the SEIAA in its 179 <sup>th</sup> Meeting held on 11.07.2016 and the Authority after careful consideration, decided to grant environmental clearance to the said project Mining of Silica Sand subject to terms and conditions stipulated under the provisions				
	Environment Impact Assessment Notification, 2006	as amended.			
11	The Environmental Clearance will be coterminous with the mine lease period or Lim to a maximum of 20 Years from the date of issue whichever is earlier.				

# Conditions to be Complied before/during commencing operations:-

- 1. The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing the public that
  - i. The project has been accorded Environmental Clearance.
  - ii. Copies of clearance letters are available with the Tamil Nadu Pollution Control Board.
  - iii. Environmental Clearance may also be seen on the website of the SEIAA.
  - iv. The advertisement should be made within 7 days from the date of receipt of the clearance letter and a copy of the same shall be forwarded to the SEIAA.
- 2. The applicant has to obtain land use classification as industrial use before issue/renewal of mining lease.
- 3. NOC from the Standing committee of the NBWL shall be obtained, if protected areas are located within 10 Km from the proposed project site.
- 4. The project proponent shall comply the conditions laid down in the Section V, Rule 36 of Tamil Nadu Minor Minerals Concession Rules 1959.
- 5. A copy of the Environment Clearance letter shall be sent by the proponent to the concerned Panchayat, Town Panchayat / Panchayat union/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the proponent and also kept at the site, for the general public to see.
- 6. The proponent shall ensure that First Aid Box is available at site.
- 7. The excavation activity shall not alter the natural drainage pattern of the area.
- 8. The excavated pit shall be restored by the project proponent for useful purposes.
- 9. The proponent shall quarry and remove only in the permitted and approved areas.
- 10. The proponent shall do the quarrying manually.
- 11. It shall be ensured that the quarrying operation shall be carried out between 7AM and 5 PM.
- 12. The proponent shall take necessary measures to ensure that there shall not be any adverse impacts due to quarrying operation on the nearby human habitations, by way of pollution to the environment.
- 13. A minimum distance of 15 mts from any civil structure shall be kept from the periphery of any excavation area.
- 14. Depth of quarrying shall be 2m above the ground water table /approved depth of mining whichever is lesser to be considered as a safe guard against Environmental Contamination and over exploitation of resources.



- 15. The mined out pits should be backfilled wherever warranted and area should be suitably landscaped to prevent environmental degradation. The mine closure plan as furnished in the proposal shall be strictly followed with back filling and tree plantation.
- 16. No drilling and blasting operation shall be carried out under any circumstances.
- 17. Free silica test should be conducted and reported
- 18. Air Sampling at intersection point should be conducted and reported
- 19. Bunds to be provided at the boundary of the project site.
- 20. Ground water quality monitoring should be conducted once in 3 Months
- 21. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
- 22. Rainwater shall be pumped out Via Settling Tank only
- 23. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area
- 24. Atleast 10 neem trees should be planted around the boundary of the quarry site.
- 25. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
- 26. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
- 27. The Project Proponent shall ensure a minimum of 2.5% of the annual turn over will be utilized for the CSR Activity
- 28. The Project Proponent shall provide solar lighting system to the nearby villages
- 29. The Project Proponent shall comply the mining and other relevant rules and regulations where ever applicable.
- 30. As per MoEF&CC, Gol, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarrying operation, if the project site is located within 10KM from National Park and Sanctuaries.
- 31. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Regional Office of the Ministry of Environment and Forests, Chennai.
- 32. It shall be ensured that the total extent of Mining area including existing, abandoned and proposed shall not exceed 25 Ha within 500 meter radius from the boundary of this quarry within the mining lease period of this application. If the area exceeds, the applicant has to obtain fresh Environmental Clearance submitting EIA Study Report under Category "B1"
- 33. It shall be ensured that there is no habitation is located within 500 meter radius from the periphery of the quarry site.
- 34. Whenever/wherever, "Savudu" /" Red Earth" /"Brick Earth" are removed from tanks, the project proponents should see that the free flow of water from and into the tanks are ensured through maintenance of inlet and outlet channels. Removal Earth should be in smooth, sloppy way towards deeper portion of the tank.
- 35. The Assistant/Deputy Director of Geology & Mining shall ensure that the total extent of mining area within 500m radius of this quarry not exceeds 25ha before execution of the quarry lease proceedings.

CHAIRMAN SEIAA-TN 2.

#### **General Conditions:**

- 1. EC is given only on the factual records, documents and the commitment furnished in non judicial stamp paper by the proponent.
- 2. The Proponent shall obtain the Consent for Establishment from the TNPC Board before commencing the activity.
- 3. No change in mining technology and scope of working should be made without prior approval of the SEIAA, Tamil Nadu.
- 4. No change in the calendar plan including excavation, quantum of mineral (minor mineral) should be made.
- 5. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 6. Effective safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to excavation of earth.
- 7. A berm shall be left from the boundary of adjoining field having a width equal to atleast half the depth of proposed excavation.
- 8. Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.
- Vehicular emissions shall be kept under control and be regularly monitored. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
- 10. Access and haul roads to the quarrying area should be restored in a mutually agreeable manner where these are considered unnecessary after extraction has been completed.
- 11. All Personnel shall be provided with protective respiratory devices including safety shoes, Masks, gloves etc. Supervisory people should be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 12. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.
- 13. Workers/labourers shall be provided with facilities for drinking water and sanitation facility for Female and Male separately.
- 14. The project proponent shall ensure that child labour is not employed in the project as per the sworn affidavit furnished.
- 15. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment and Forests and its Regional Office located at Chennai.
- 16. Land use classification as per DTCP/Agriculture shall meet the requirement of mining/industrial use.

CHAIRMAN SEIAA-TN

17. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.

18. This Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance

19. The SEIAA, Tamil Nadu may alter/modify the above conditions or stipulate any further conditions in the interest of environment protection.

20. The SEIAA, Tamil Nadu may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the project proponent has deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the environmental clearance.

21. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

- The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments, draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957, National Commission for protection of Child Right Rules, 2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law relating to the subject matter.
  - 23. The Environmental Clearance shall not be used as a document to obtain any other clearance unless it is specifically prescribed by the issuing authority.
  - 24. Any other conditions stipulated by other Statutory/Government authorities shall be complied.
  - 25. Any appeal against this environmental clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

# CHAIRMAN SEIAA-TN

#### Copy to:

- 1. The Secretary, Ministry of Mines, Government of India, ShastriBhawan, New Delhi.
- The Principal Secretary, Environment and Forests Department, Government of Tamil Nadu, Tamil Nadu.
- 3. The Additional Chief Secretary, Industries Department, Government of Tamil Nadu, Tamil Nadu.
- 4. The Additional Principal Chief Conservator of Forests, Regional Office (SZ), 34, HEPC Building, 1<sup>st</sup> & 2<sup>nd</sup> Floor, Cathedral Garden Road, Nungambakkam, Chennai 34.
- 5. The Chairman, Central Pollution Control Board, PariveshBhawan, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
- 6. The Chairman, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-32
- 7. The District Collector, Kancheepuram District
- 8. The Commissioner of Geology and Mines, Guindy, Chennai-32
- 9. El Division, Ministry of Environment & Forests, ParyavaranBhawan, New Delhi. 10.Spare.



# Dr. S. KALYANASUNDARAM ,I.F.S.(Retd.) CHAIRMAN

# STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – TAMIL NADU

3rd Floor, Panagal Maaligai, No.1 Jeenis Road, Saidapet, Chennai-15. Phone No.044-24359974 Fax No. 044-24359975

# **ENVIRONMENTAL CLEARANCE**

Lr. No.SEIAA-TN/F.No.4394/1(a)/ EC.No:3283/2015 dated:11.07.2016

То

M/s. Tamil Nadu Minerals Limited (A Government of Tamil Nadu undertaking) No.31, Kamarajar Salai TWAD House Chepauk, P.B. No. 2961 Chennai-05



Sub:

SEIAA-TN — Proposed Black granite quarry located at S.F.No Reserve Forest, Yellikkaradu Bit-I Village, Mettur Taluk, Salem District- issue of Environmental Clearance — Reg.

Ref:

- 1. Your Application for Environmental Clearance dt: 20.10.2015
- 2. Minutes of the 69th SEAC held on 13.11.2015 & 14.11.2015
- 3. Minutes of the SEIAA meeting held on 11.07.2016

# Details of Minor Mineral Activity:-

This has reference to your application first cited. The proposal is for obtaining environmental clearance for mining/quarrying of minor minerals based on the particulars furnished in your application as shown below.

1	Name of Project Proponent and address	M/s. Tamil Nadu Minerals Limited (A Government of Tamil Nadu undertaking			
		No.31, Kamarajar Salai			
		TWAD House			
		Chepauk, P.B. No. 2961			
		Chennai-05			
2	Location of the Proposed Activity				
	Survey Number	Reserve Forest			
	Latitude and Longitude	11°46'23.35"N			
		77°46'41.19"E			
	Village	Yellikkaradu Bit-I			



i. ii. iii. v. v. vi. vii. viii. vii		Salem		
i. ii. iii. v. v. vi. vii. viii. vii	I a st. ta.			
ii. iii. iv. v. vi. viii.  iii. iv. viii.  viii.  iii. iii.  7 Cos iii. 8 Pul	oposed Activity			
ii. iii. iv. v. vi. viii.  iii. iv. viii.  viii.  iii. iii.  7 Cos iii. 8 Pul	i. Minor mineral	Black Granite		
iii. iv. v. vi. vii. viii.  4 Whe concas a 5 Mar 6 Util i. iii. 7 Cos iii 8 Pul		5.62.0 Ha		
iv. v. vi. vii. viii.  viii.  4 Whe cone as a 5 Mar 6 Util  ii. iii.  7 Cos iii. 8 Pul		32340 cu.m of ROM per annum		
v. vi. vii. viii.  4 Who concas a 5 Mar 6 Util i. ii. iii.		20 m		
vi. vii. viii.  viii. 4 Whe cone as a 5 Mar 6 Util i. iii. 7 Cos iii. 8 Pul		Opencast Semi Mechanized Method		
viii. viii. 4 Whe concas a 5 Mar 6 Util ii. iii. 7 Cos iii 8 Pul		B2		
ix. 4 Who cond as a 5 Mar 6 Util i. iii 7 Cos iii 8 Pul		G.O.Ms.No.49, Environment Forest (FR.10) Department dated 01.06.2009		
ix. 4 Whe cone as a 5 Mar 6 Util i. iii 7 Cos iii 8 Pul	iii. Mining plan approval	Commissioner of Geology & Mining		
4 Whe concas a sa a 5 Mar 6 Util i. iii. 7 Cos iii. 8 Pul	II. Willing plantappears	Lr.No. 11144/MM5/2009 dated 30.09.2015		
4 Whe concas a sa a 5 Mar 6 Util i. iii. 7 Cos iii. 8 Pul	ix. Mining lease period	10 Years		
5 Mar 6 Util i. ii. 7 Cos ii 8 Pul	Thether Project area attracts any General and Indication, 2006 amended:-	Not attracted. Affidavit furnished		
i. iii. 7 Cos iii. 8 Pul	lan Power requirement per day:	55 Employees		
7 Cos	tilities			
7 Cos i ii 8 Pul	i. Source of Water :	Madhayankuttai Village Panchayat		
7 Cos i ii 8 Pul	ii. Quantity of Water Requirement in KLD:			
7 Cos i ii 8 Pul	a. Domestic	1.4KLD		
7 Cos i ii 8 Pul	b. Industrial	1		
7 Cos ii ii 8 Pul	c. Green Belt & Dust Suppression	J <sub>0.9KLD</sub>		
7 Cos i ii 8 Pul	iii. Power Requirement:			
ii 8 Pul	a. Domestic Purpose	TNEB		
ii 8 Pul	b. Industrial Purpose	1000 Lit/month		
8 Pul	Cost	Rs. 1 Crore		
8 Pul	i. Project Cost	Rs.4.2 Lakhs		
	ii. EMP Cost			
9 Da	Public Consultation:-	Not required as per O.M. dated 24.12.2013 of MoEF, Gol.		
■ 1770 ( 1786)	Date of Appraisal by SEAC:-	13.11.2015 & 14.11.2015		
Ag	Agenda No:	69-14		
The Au	Date of Review/Discussion by SEIAA and the Remarks:- The proposal was placed before the SEIAA in its 179 <sup>th</sup> Meeting held on 11.07.2015 and to Authority after careful consideration, decided to grant environmental clearance to the said project Mining of Multi colour granite to terms and conditions stipulated under the provisions Environment Impact Assessment Notification, 2006 as amended.			
Th	maximum period of 10 Years from the date of issu	ue whichever is earlier.		



# Conditions to be Complied before commencing mining operations:-

- 1. The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing the public that
  - The project has been accorded Environmental Clearance.
  - II. Copies of clearance letters are available with the Tamil Nadu Pollution Control Board.
  - III. Environmental Clearance may also be seen on the website of the SEIAA.
  - IV. The advertisement should be made within 7 days from the date of receipt of the clearance letter and a copy of the same shall be forwarded to the SEIAA.
- The applicant has to obtain land use classification as industrial use before issue/renewal of mining lease.
- 3. NOC from the Standing committee of the NBWL shall be obtained, if protected areas are located within 10 Km from the proposed project site.
- 4. The project proponent shall comply the conditions laid down in the Section V, Rule 36 of Tamil Nadu Minor Minerals Concession Rules 1959.
- 5. A copy of the Environment Clearance letter shall be sent by the proponent to the concerned Panchayat, Town Panchayat / Panchayat union/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the proponent and also kept at the site, for the general public to see.
- Quarry lease area should be demarcated on the ground with wire fencing to show the boundary of the lease area on all sides with red flags on every pillar shall be erected before commencement of quarrying.
- The proponent shall ensure that First Aid Box is available at site.
- 8. The excavation activity shall not alter the natural drainage pattern of the area.
- 9. The excavated pit shall be restored by the project proponent for useful purposes.
- 10. The proponent shall quarry and remove only in the permitted areas as per the approved Mining Plan details.
- 11. The quarrying operation shall be restricted between 7AM and 5 PM.
- 12. The proponent shall take necessary measures to ensure that there shall not be any adverse impacts due to quarrying operation on the nearby human habitations, by way of pollution to the environment.
- 13. A minimum distance of 15 mts. From any civil structure shall be kept from the periphery of any excavation area.



- 14. Depth of quarrying shall be 2m above the ground water table /approved depth of mining whichever is esser to be considered as a safe guard against Environmental Contamination and over exploitation of resources.
- 15. The mined out pits should be packfilled where warranted and area should be suitably landscaped to prevent environmental degradation. The mine closure plan as furnished in the proposal shall be strictly followed with back filling and tree plantation.
- 16. Wet criting method is to be adopted to control dust emissions. Delay detonators and shock tube initiation system for blasting shall be used so as to reduce v bration and dust.
- 17. Drilling and blasting shall be done only either by licensed explosive agent or by the proponent after obtaining required approvals from Competent Authorities.
- 18. The explosives shall be stored at site as per the conditions stipulated in the permits issued by the licensing Authority.
- 19. Blasting shall be carried out after announcing to the public adequate through public address system to avoid any accident.
- 20. A study has to be conducted to assess the potimum blast parameters and blast design to keep the vibration limits less than prescribed levels and only such design and parameters should be implemented while blasting is done. Periodical monitoring of the vibration at specified location to be conducted and records kept for inspection.
- 21. The Proponent shall cake appropriate measures to ensure that the GLC shall comply with the revised NAAQ norms notified by MoEF, Ection 16.11.2009.
- 22. The following measures are to be implemented to reduce Air Pollution during transportation of mineral
  - Roads shall be graded to mitigate the dust emission.
  - ii. Water shall be sprinkled at regular interval on the main road and other service roads to suppress dust
- 23. The following measures are to be implemented to reduce Noise Pollution
  - i. Proper and regular maintenance of vehicles and other equipment
  - Limiting time exposure of workers to excessive noise.
  - iii. The workers employed shall be provided with protection equipment and earmuffs etc.
  - iv. Speed of trucks entering or leaving the mine is to be limited to moderate speed of 25 kmon to prevent undue noise from empty trucks.



- 24. Measures should be taken to comply with the provisions laid under Noise Pollution (Regulation and Control) (Amendment) Rules, 2010. dt: 11.01.2010 issued by the MoE&F, Gol to control noise to the prescribed levels.
- 25. Suitable conservation measures to augment groundwater resources in the area shall be planned and implemented in consultation with Regional Director, CGWB. Suitable measures should be taken for rainwater harvesting.
- 26. Permission from the competent authority should be obtained for drawl of ground water, if any, required for this project.
- 27. Topsoil, if any, shall be stacked properly with proper slope with adequate measures and should be used for plantation purpose.
- 28. The following measures are to be adopted to control erosion of dumps:-
  - Retention/ toe walls shall be provided at the foot of the dumps.
  - ii. Worked out slopes are to be stabilized by planting appropriate shrub/ grass species on the slopes.
- 29. Waste oils, used oils generated from the EM machines, mining operations, if any, shall be disposed as per the Hazardous Wastes (Management, Handling, and trans boundary movement) Rules, 2008 and its amendments thereof to the recyclers authorized by TNPCB.
- 30. Concealing the factual data or failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986
- 31. Rain water harvesting to collect and utilize the entire water falling in land area should be provided.
- 32. Rain water getting accumulated in the quarry floor shall not be discharged directly to the nearby stream or water body. If it is to be let into the nearby water body, it has to be discharged into a silt trap on the surface within the lease area and only the overflow after allowing settling of soil be let into the nearby waterways. The silt trap should be of sufficient dimensions to catch all the silt water being pumped out during one season. The silt trap should be cleaned of all the deposited silt at the end of the season and kept ready for taking care of the silt in the next season.
- 33. The lease holder shall undertake adequate safeguard measures during extraction of material and ensure that due to this activity, the hydro-geological regime of the surrounding area shall not be affected. Regular monitoring of ground water level and quality shall be carried out around the mine lease area during the mining operation. If at any stage, if it is observed that



the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out. District Collector/mining officer shall ensure this.

- 34. No tree-felling shall be done in the leased area, except only with the permission from competent Authority.
- 35. To take up environmental monitoring of the proposed quarry site before, during and after the mining activities including vibration study data, water, air & flora/fauna environment, slurry water generated/disposed and method of disposal, involving a reputed academic Institution.
- 36. It shall be ensured that the total extent of nearby quarries(existing, abandoned and proposed) located within 500 meter radius from the periphery of this quarry is not exceeding 25 hectares within the mining lease period of this application.
- 37. It shall be ensured that there is no habitation is located within 500 meter radius from the periphery of the quarry site and also ensure that no hindrance will be caused to the people of the habitation located within 500m radius from the periphery of the quarry site
- 38. Ground water quality monitoring should be conducted once in 3 Months
- 39. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
- 40. Free Silica test should be conducted and reported to TNPCB, Department of Geology and Mining and Regional Director, MoEF, GOI.
- 41. Air sampling at intersection point should be conducted and reported to TNPCB, Department of Geology and Mining and Regional Director, MoEF, GOI..
- 42. Bunds to be provided at the boundary of the project site.
- 43. Ground water quality monitoring should be conducted once in 3 Months
- 44. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area at the rate of 400/Ha. Suitable tall tree saplings should be planted on the bunds and other suitable areas in and around the work place.
- 45. At least 10 Neem trees should be planted around the boundary of the quarry site.
- 46. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
- 47. The Project Proponent shall ensure a minimum of 2.5% of the annual turnover will be utilized for the CSR Activity
- 48. The Project Proponent shall provide solar lighting system to the nearby villages
- 49. The Project Proponent shall comply with the mining and other relevant rules and regulations where ever applicable.
- 50. Rainwater shall be pumped out Via Settling Tank only
- 51. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
- 52. As per MoEF&CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarring operation, if the project site is located within 10KM from National Park and Sanctuaries.
- 53. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities.
- 54. Safety equipments to be provided to all the employees.
- 55. Safety distance of 50m has to be provided in case of railway, reservoir, canal/odai



## General Conditions:

- EC is given only on the factual records, documents and the commitment furnished in non judicial stamp paper by the proponent.
- 2. The Proponent shall obtain the Consent for Establishment from the TNPC Board before commencing the activity.
- 3. No change in mining technology and scope of working should be made without prior approval of the SEIAA, Tamil Nadu.
- 4. No change in the calendar plan including excavation, quantum of mineral (minor mineral) should be made.
- 5. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 6. Effective safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to excavation of earth.
- 7. A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- 8. Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.
- 9. Vehicular emissions shall be kept under control and be regularly monitored. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
- 10. Access and haul roads to the quarrying area should be restored in a mutually agreeable manner where these are considered unnecessary after extraction has been completed.
- 11. All Personnel shall be provided with protective respiratory devices including safety shoes, Masks, gloves etc. Supervisory people should be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 12. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.
- 13. Workers/labourers shall be provided with facilities for drinking water and sanitation facility for Female and Male separately.
- 14. The project proponent shall ensure that child labour is not employed in the project as per the sworn affidavit furnished.
- 15. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment and Forests and its Regional Office located at Chennai.



- 16. The Environmental Clearance does not absolve the applicant/proponent of \$\int\_{\text{obligation/requirement}}\$ to obtain other statutory and administrative clearances from other statutory and administrative authorities.
- 17. This Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance
- 18. The SEIAA, Tamil Nadu may alter/modify the above conditions or stipulate any further conditions in the interest of environment protection.
- 19. The SEIAA, Tamil Nadu may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA,TN that the project proponent has deliberately concealed and/or submitted false or misleading information or submitted data for obtaining the environmental clearance.
- 20. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 21. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments, draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957, National Commission for protection of Child Right Rules, 2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law relating to the subject matter.
- 22. Any other conditions stipulated by other Statutory/Government authorities shall be complied
- 23. Any appeal against this environmental clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



#### Copy to:

- 1. The Secretary, Ministry of Mines, Government of India, ShastriBhawan, New Delhi.
- 2. The Principal Secretary, Environment and Forests Department, Government of Tamil Nadu, Nadu.
- 3. The Additional Chief Secretary, Industries Department, Government of Tamil Nadu, Tamil Nadu.
- 4. The Additional Principal Chief Conservator of Forests, Regional Office (SZ), 34, HEPC Building, 1<sup>st</sup> & 2<sup>nd</sup> Floor, Cathedral Garden Road, Nungambakkam, Chennai 34.
- 5. The Chairman, Central Pollution Control Board, PariveshBhawan, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
- 6. The Chairman, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-32
- 7. The District Collector, Salem District
- 8. The Commissioner of Geology and Mines, Guindy, Chennai-32
- 9. El Division, Ministry of Environment & Forests, ParyavaranBhawan, New Delhi.
- 10.Spare.



# Dr. S. KALYANASUNDARAM ,I.F.S.(Retd.) CHAIRMAN

# STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – TAMIL NADU

3rd Floor, Panagal Maaligai, No.1 Jeenis Road, Saidapet, Chennai-15. Phone No.044-24359974 Fax No. 044-24359975

वाकांग.....

#### ENVIRONMENTAL CLEARANCE

Lr. No.SEIAA-TN/F.No.985/1(a)/ EC.No 3215/2013 dated:11.07.2016

To M/s. Tamil Nadu Minerals Limited No.31, Kamarajar Salai, "TWAD House" Chepauk Post Box No. 2961 Chennai - 600 005

Sir,

SEIAA-TN — Proposed Black Granite quarry located at S.F.No 133 (Part), Kaveripuram Village, Mettur Taluk, Salem District issue of Environmental Clearance — Reg.

Ref:

Sub:

1. Your Application for Environmental Clearance dt: 03.04.2013

2. Minutes of the 72nd SEAC held on 04.02.2016, 05.02.2016 & 06.02.2016

3. Minutes of the SEIAA meeting held on 11.07.2016

## Details of Minor Mineral Activity:-

This has reference to your application first cited, along with subsequent documents and EIA report submitted for the aforesaid project to the SEIAA. The proposal is for obtaining environmental clearance for mining/quarrying of minor minerals based on the particulars furnished in your application as shown below.

1	Name of Project Proponent and address	M/s. Tamil Nadu Minerals Limited No.31, Kamarajar Salai, "TWAD House" Chepauk Post Box No. 2961	
		Chennai - 600 005	
2	Location of the Proposed Activity		
<	Survey Number	133 (Part)	
	Latitude and Longitude	11°54'06.00"N to 77°43'44.00"E	
		11°54'05.00"N to 77°44'01.00"E	
		11°53'56.00"N to 77°43'41.00"E	
		11°53'50.00"N to 77°43'56.00"E	
	Village	Kaveripuram	
	Taluk	Mettur	
	District	Salem	

CHAIRMAN

SEIAA-TN

3	Propo	sed Activity			
	i.	Minor mineral	Black Granite		
	ii.	Mining Lease Area	31.35.0 Ha		
	iii.	Approved quantity	1002.2 cu.m of Black Granite & 32405.800 cu.m of Granite rejects		
	iv. Depth of Mining		20 m		
_	٧.	Type of mining	Semi Mechanized Opencast Method		
	vi. Category(B1/B2)		B1		
	vii.	Precise area communication	Lr.No. 13912/MME1/2005-1 dated		
	VII.	Treese dred communication	06.03.2016 of the Principal Secretary to Government, Industries (MME.2) Department, Chennai – 9.		
	viii.	Mining plan approval	Commissioner of Geology & Mining, Chennai Lr.No. 4709/MM5/2004 dated 25.02.2011		
	ix.	Mining lease period	30 Years		
4	condit	per Project area attracts any General tions specified in the EIA notification, 2006 ended:-	Not attracted. Affidavit furnished		
5	Man F	Power requirement per day:	37 Employees		
6	Utiliti	es			
	i.	Source of Water :	Kaveripuram Village Panchayat		
	ii.	Quantity of Water Requirement in KLD:			
		<ul><li>a. Domestic</li><li>b. Industrial</li><li>c. Green Belt &amp; Dust Suppression</li></ul>	1.6KLD ] 1.5KLD		
	iii.	Power Requirement:			
		a. Domestic Purpose	TNEB		
		b. Industrial Purpose	1000 lit/month		
7	Cost i. ii.	Project Cost EMP Cost	Rs. 1 Crore Rs. 4.20 Lakhs		
8	ToR Issued on:		Issued by MoEF/GOI vide Lr.No. F.No. J- 11015/05/2014-IA.II(M) dated 01.01.2014		
9	EIA S	ubmitted on:	05/12/2015		
10	Public	Consultation:-	Conducted on 07.01.2015		
11		of Appraisal by SEAC:- da No:	04.02.2016, 05.02.2016 & 06.02.2016 72-06		
12	Date of Review/Discussion by SEIAA and the Remarks:-				
ıı	The p Author	The proposal was placed before the SEIAA in its 179th Meeting held on 11.07.2016 and the Authority after careful consideration, decided to grant environmental clearance to the said project Wining of Black Granite to terms and conditions stipulated under the provisions of Environmental mpact Assessment Notification, 2006 as amended.			
13	Validity:				
	The Environmental Clearance will be coterminous with the mine lease period or limited to a				
	maximum period of 30 Years from the date of issue whichever is earlier.				



# Conditions to be Complied before commencing mining operations:-

- 1. The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing the public that
  - The project has been accorded Environmental Clearance.
  - II. Copies of clearance letters are available with the Tamil Nadu Pollution Control Board.
  - III. Environmental Clearance may also be seen on the website of the SEIAA.
  - IV. The advertisement should be made within 7 days from the date of receipt of the clearance letter and a copy of the same shall be forwarded to the SEIAA.
- The applicant has to obtain land use classification as industrial use before issue/renewal of mining lease.
- 3. NOC from the Standing committee of the NBWL shall be obtained, if protected areas are located within 10 Km from the proposed project site.
- 4. The project proponent shall comply the conditions laid down in the Section V, Rule 36 of Tamil Nadu Minor Minerals Concession Rules 1959.
- 5. A copy of the Environment Clearance letter shall be sent by the proponent to the concerned Panchayat, Town Panchayat / Panchayat union/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the proponent and also kept at the site, for the general public to see.
- Quarry lease area should be demarcated on the ground with wire fencing to show the boundary
  of the lease area on all sides with red flags on every pillar shall be erected before
  commencement of quarrying.
- 7. The proponent shall ensure that First Aid Box is available at site.
- 8. The excavation activity shall not alter the natural drainage pattern of the area.
- 9. The excavated pit shall be restored by the project proponent for useful purposes.
- 10. The proponent shall quarry and remove only in the permitted areas as per the approved Mining Plan details.
- 11. The quarrying operation shall be restricted between 7AM and 5 PM.
- 12. The proponent shall take necessary measures to ensure that there shall not be any adverse impacts due to quarrying operation on the nearby human habitations, by way of pollution to the environment.
- 13. A minimum distance of 15 mts. From any civil structure shall be kept from the periphery of any excavation area.



- 14. Depth of quarrying shall be 2m above the ground water table /approved depth of mining whichever is lesser to be considered as a safe guard against Environmental Contamination and over exploitation of resources.
- 15. The mined out pits should be backfilled where warranted and area should be suitably landscaped to prevent environmental degradation. The mine closure plan as furnished in the proposal shall be strictly followed with back filling and tree plantation.
- 16. Wet drilling method is to be adopted to control dust emissions. Delay detonators and shock tube initiation system for blasting shall be used so as to reduce vibration and dust.
- 17. Drilling and blasting shall be done only either by licensed explosive agent or by the proponent after obtaining required approvals from Competent Authorities.
- 18. The explosives shall be stored at site as per the conditions stipulated in the permits issued by the licensing Authority.
- 19. Blasting shall be carried out after announcing to the public adequate through public address system to avoid any accident.
- 20. A study has to be conducted to assess the optimum blast parameters and blast design to keep the vibration limits less than prescribed levels and only such design and parameters should be implemented while blasting is done. Periodical monitoring of the vibration at specified location to be conducted and records kept for inspection.
- 21. The Proponent shall take appropriate measures to ensure that the GLC shall comply with the revised NAAQ norms notified by MoEF, Gol on 16.11.2009.
- 22. The following measures are to be implemented to reduce Air Pollution during transportation of mineral
  - i. Roads shall be graded to mitigate the dust emission.
  - ii. Water shall be sprinkled at regular interval on the main road and other service roads to suppress dust
- 23. The following measures are to be implemented to reduce Noise Pollution
  - i. Proper and regular maintenance of vehicles and other equipment
  - ii. Limiting time exposure of workers to excessive noise.
  - iii. The workers employed shall be provided with protection equipment and earmuffs etc.
  - iv. Speed of trucks entering or leaving the mine is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.



- 24. Measures should be taken to comply with the provisions laid under Noise Pollution (Regulation and Control) (Amendment) Rules, 2010, dt: 11.01.2010 issued by the MoE&F, GoI to control noise to the prescribed levels.
- 25. Suitable conservation measures to augment groundwater resources in the area shall be planned and implemented in consultation with Regional Director, CGWB. Suitable measures should be taken for rainwater harvesting.
- 26. Permission from the competent authority should be obtained for drawl of ground water, if any, required for this project.
- 27. Topsoil, if any, shall be stacked properly with proper slope with adequate measures and should be used for plantation purpose.
- 28. The following measures are to be adopted to control erosion of dumps:-
  - Retention/ toe walls shall be provided at the foot of the dumps.
  - ii. Worked out slopes are to be stabilized by planting appropriate shrub/ grass species on the slopes.
- 29. Waste oils, used oils generated from the EM machines, mining operations, if any, shall be disposed as per the Hazardous Wastes (Management, Handling, and trans boundary movement) Rules, 2008 and its amendments thereof to the recyclers authorized by TNPCB.
- 30. Concealing the factual data or failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 31. Rain water harvesting to collect and utilize the entire water falling in land area should be provided.
- 32. Rain water getting accumulated in the quarry floor shall not be discharged directly to the nearby stream or water body. If it is to be let into the nearby water body, it has to be discharged into a silt trap on the surface within the lease area and only the overflow after allowing settling of soil be let into the nearby waterways. The silt trap should be of sufficient dimensions to catch all the silt water being pumped out during one season. The silt trap should be cleaned of all the deposited silt at the end of the season and kept ready for taking care of the silt in the next season.
- 33. The lease holder shall undertake adequate safeguard measures during extraction of material and ensure that due to this activity, the hydro-geological regime of the surrounding area shall not be affected. Regular monitoring of ground water level and quality shall be carried out around the mine lease area during the mining operation. If at any stage, if it is observed that



the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out. District Collector/mining officer shall ensure this.

- 34. No tree-felling shall be done in the leased area, except only with the permission from competent Authority.
- 35. To take up environmental monitoring of the proposed quarry site before, during and after the mining activities including vibration study data, water, air & flora/fauna environment, slurry water generated/disposed and method of disposal, involving a reputed academic Institution.
- 36. It shall be ensured that the total extent of nearby quarries(existing, abandoned and proposed) located within 500 meter radius from the periphery of this quarry is not exceeding 25 hectares within the mining lease period of this application.
- 37. It shall be ensured that there is no habitation is located within 500 meter radius from the periphery of the quarry site and also ensure that no hindrance will be caused to the people of the habitation located within 500m radius from the periphery of the quarry site
- 38. Ground water quality monitoring should be conducted once in 3 Months
- 39. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
- 40. Free Silica test should be conducted and reported to TNPCB, Department of Geology and Mining and Regional Director, MoEF, GOI.
- 41. Air sampling at intersection point should be conducted and reported to TNPCB, Department of Geology and Mining and Regional Director, MoEF, GOI..
- 42. Bunds to be provided at the boundary of the project site.
- 43. Ground water quality monitoring should be conducted once in 3 Months
- 44. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area at the rate of 400/Ha. Suitable tall tree saplings should be planted on the bunds and other suitable areas in and around the work place.
- 45. At least 10 Neem trees should be planted around the boundary of the quarry site.
- 46. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
- 47. The Project Proponent shall ensure a minimum of 2.5% of the annual turnover will be utilized for the CSR Activity
- 48. The Project Proponent shall provide solar lighting system to the nearby villages
- 49. The Project Proponent shall comply with the mining and other relevant rules and regulations where ever applicable.
- 50. Rainwater shall be pumped out Via Settling Tank only
- 51. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
- 52. As per MoEF&CC, Gol, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarring operation, if the project site is located within 10KM from National Park and Sanctuaries.
- 53. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities.
- 54. Safety equipments to be provided to all the employees.
- 55. Safety distance of 50m has to be provided in case of railway, reservoir, canal/odai



#### **General Conditions:**

- 1. EC is given only on the factual records, documents and the commitment furnished in non judicial stamp paper by the proponent.
- 2. The Proponent shall obtain the Consent for Establishment from the TNPC Board before commencing the activity.
- No change in mining technology and scope of working should be made without prior approval of the SEIAA, Tamil Nadu.
- 4. No change in the calendar plan including excavation, quantum of mineral (minor mineral) should be made.
- 5. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 6. Effective safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to excavation of earth.
- 7. A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- 8. Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.
- Vehicular emissions shall be kept under control and be regularly monitored. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
- Access and haul roads to the quarrying area should be restored in a mutually agreeable manner where these are considered unnecessary after extraction has been completed.
- 11. All Personnel shall be provided with protective respiratory devices including safety shoes, Masks, gloves etc. Supervisory people should be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 12. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.
- 13. Workers/labourers shall be provided with facilities for drinking water and sanitation facility for Female and Male separately.
- 14. The project proponent shall ensure that child labour is not employed in the project as per the sworn affidavit furnished.
- 15. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment and Forests and its Regional Office located at Chennai.



- 16. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
- 17. This Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance
- 18. The SEIAA, Tamil Nadu may alter/modify the above conditions or stipulate any further conditions in the interest of environment protection.
- 19. The SEIAA, Tamil Nadu may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA,TN that the project proponent has deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the environmental clearance.
- 20. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 21. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments, draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957, National Commission for protection of Child Right Rules, 2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law relating to the subject matter.
- 22. Any other conditions stipulated by other Statutory/Government authorities shall be complied
- 23. Any appeal against this environmental clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



#### Copy to:

- 1. The Secretary, Ministry of Mines, Government of India, ShastriBhawan, New Delhi.
- 2. The Principal Secretary, Environment and Forests Department, Government of Tamil Nadu, Tamil Nadu.
- 3. The Additional Chief Secretary, Industries Department, Government of Tamil Nadu, Tamil Nadu.
- 4. The Additional Principal Chief Conservator of Forests, Regional Office (SZ), 34, HEPC Building, 1<sup>st</sup> & 2<sup>nd</sup> Floor, Cathedral Garden Road, Nungambakkam, Chennai 34.
- 5. The Chairman, Central Pollution Control Board, PariveshBhawan, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
- 6. The Chairman, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-32
- 7. The District Collector, Salem District
- 8. The Commissioner of Geology and Mines, Guindy, Chennai-32
- 9. El Division, Ministry of Environment & Forests, ParyavaranBhawan, New Delhi. 10.Spare.